

DATA SHEET

Product Description

Ultraseal® P-201A is a high-performance hydro-reactive mastic for sealing and waterproofing passing bodies and cracks.

Basic Uses

Ultraseal P-201A is a waterstop used in new construction and repair applications. It can be applied to damp and uneven surfaces and functions in a wide range of temperatures and ground water conditions. Basic uses include:

- Approved for use in the TREMproof Amphibia system
- Control joints
- Expanded metal forms
- Piping penetrations
- Crack and joint repair
- Can be used as a sheet pile interlock sealant
- Precast segmented sealant

Features & Benefits

- Ultraseal P-201A will expand up to two times (100%) by volume in the presence of water, in the direction of least resistance.
- When expansion is inhibited, Ultraseal P-201A will produce expansion pressure against the resisting substance, effectively sealing off water penetration.
- Creates seals between prefabricated elements

Please refer to our website at www.tremcosealants.com for the most up-to-date Product Data Sheets.

NOTE: All Tremco Safety Data Sheets (SDS) are in alignment with the Globally Harmonized System of Classification and Labelling of Chemicals (GHS) requirements.

Typical Physical Properties

PROPERTY

Appearance	Light gray mastic
Specific weight	1 g/cc
Volumetric expansion in water	Approximately 100% (2 times by volume)
Polymerization @68 °F (20° C) , 60% RH	<10 hr
Water tightness	1atm

*Ultraseal is a registered trademark of Adeka/ OCM Inc.

0720/UP201ADS

Please refer to our website at www.tremcosealants.com for the most up-to-date Data Sheet.

Tremco Construction Products Group

3735 Green Rd
Beachwood OH 44122
800.876.5624

1451 Jacobson Ave
Ashland OH 44805
419.289.2050 / 800.321.6357

220 Wicksteed Ave
Toronto ON M4H1G7
416.421.3300 / 800.363.3213

1445 Rue de Coulomb
Boucherville QC J4B 7L8
514.521.9555